

JPD Digital

- 545 Innovations in fixed prosthodontic workflows**
Faraj Edher, DDS, MSc, Dip Pros

Clinical Report


- 548 Pleomorphic sarcoma of maxillary sinus: Clinical report of a patient initially diagnosed with denture-induced fibrous hyperplasia**
Vitor Bonetti Valente, DDS, PhD,
Giseli Mitsuy Kayahara, BMS, MS,
Daniela Brito Bastos, DDS, MS,
Ingrid da Silva Santos, DDS, MS,
José Cândido Caldeira Xavier-Junior, MD, PhD,
Éder Ricardo Biasoli, DDS, PhD,
Glauco Issamu Miyahara, DDS, PhD, and
Daniel Galera Bernabé, DDS, PhD

Dental Techniques

- 554 Interimplant papilla reconstruction at second-stage surgery: A technique**
Xin Zhang, DDS, Jingjing Shao, DDS,
Qianbing Wan, DDS, PhD, and Lei Li, DDS, PhD
- 560 Multipurpose application of custom, rigid, clear matrix for fabricating trial restorations, tooth preparation guides, and interim veneers**
Ariel J. Raigrodski, DMD, MS

Systematic Reviews

- 566 Survival and complications of monolithic ceramic for tooth-supported fixed dental prostheses: A systematic review and meta-analysis**
Letícia Cerri Mazza, DDS,
Cleidiel Aparecido Araujo Lemos, DDS, MSc,
Aldiéris Alves Pesqueira, DDS, MSc, PhD, and
Eduardo Piza Pellizzer, DDS, MSc, PhD



On the Cover
Mt. Aconcagua, Alpine Glow.
Argentina, South America.

- 575 Adhesion of veneering porcelain to cobalt-chromium dental alloys processed with casting, milling, and additive manufacturing methods: A systematic review and meta-analysis**
Marta Revilla-León, DDS, MSD,
Miguel Gómez-Polo, DDS, PhD, So Hyeon Park, DDS,
Abdul Basir Barmak, MD, MSc, EdD, and
Mutlu Özcan, DDS, DMD, PhD
- 589 Patient preference and clinical working time between digital scanning and conventional impression making for implant-supported prostheses: A systematic review and meta-analysis**
Paolo Francesco Manicone, DDS, Paolo De Angelis, DDS,
Edoardo Rella, DDS, Giovanni Damis, DDS, and
Antonio D'addona, DDS, PhD

Clinical Research

- 597 Comparison of two arbitrary cast transfer systems with a kinematic facebow for mounting a maxillary cast on a semiadjustable articulator**
Geoffrey A. Thompson, DDS, MS, Casey Nick, DDS,
Paul Francisco, DDS, Laura Lux, DDS, MS, and
Jonathan P. Wiens, DDS, MSD
- 604 Individual variation of the distance between nasion and Frankfort horizontal plane—an error factor of facebow in semi-adjustable articulators**
Daniela Pilar Casagrande Urdalleta, DDS,
Rafael Recabarren Olmedo, DDS,
Franco Renzo Cacciuttolo Fábrega, DDS, and
Jorge Luis Biotti Picand, DDS, MSc
- 605 Vertical eruption of anterior maxillary teeth adjacent to single-implant-supported crowns: An assessment after a 3-year follow-up period**
Julia G. Wittneben, PD, Dr med dent, MMSc,
Kensuke Igarashi, PhD, Urs Brägger, Dr med dent,
Buser Daniel, Dr med dent, Martin Schimmel, Dr med dent,
and Daniel Wismeijer, Dr med dent
- 611 Clinical evaluation of the precision of interocclusal registration by using digital and conventional techniques**
Yotaro Iwauchi, DDS, Shinpei Tanaka, DDS, PhD,
Emi Kamimura-Sugimura, DDS, PhD, and
Kazuyoshi Baba, DDS, PhD

- 618 Comparison of the residual cement on custom computer-aided design and computer-aided manufacturing titanium and zirconia abutments: A preliminary cohort study**
Kuang-Wei Hsu, DDS, Chao-Hua Liang, DDS, MS, Ying-Chin Peng, DDS, MS, and Chih-Chien Hsiao, DDS
- 625 Evaluation of metal concentrations in hair and nails after dental implant placement**
Bahadır Sancar, DDS and Ertunç Dayı, DDS, PhD
- 632 Evaluation of complete-arch implant scanning with 5 different intraoral scanners in terms of trueness and operator experience**
Griffin Revell, Botond Simon, DMD, Anthony Mennito, DMD, Zachary P. Evans, DMD, PhD, Walter Renne, DMD, PhD, Mark Ludlow, DMD, MS, and János Vág, DMD, PhD
- 639 Accuracy of haptic robotic guidance of dental implant surgery for completely edentulous arches**
Scotty L. Bolding, DDS, MS, FACS and Uday N. Reebye, MD, DMD
- 648 Effect of mandibular residual ridge regularization on peri-implant wound healing when narrow diameter implants are used as overdenture retainers**
Alessandra Julie Schuster, PhD, Anna Paula da Rosa Possebon, PhD, Amália Machado Bielemann, PhD, Otacílio Luiz Chagas-Júnior, PhD, and Fernanda Faot, PhD
- 656 Satisfaction with resilient denture liner versus acrylic resin telescopic prostheses for patients with ectodermal dysplasia: A nonrandomized crossover clinical trial**
Yasmine H. Mohsen, BDS, MDSc, Mohamed Abdel Kader, BDS, MDSc, PhD, Nouran Abdel Nabi, BDS, MScs, PhD, and Iman A. W. Radi, BDS, MScs, PhD
- 664 Effect of local hygiene protocols on denture-related stomatitis, biofilm, microbial load, and odor: A randomized controlled trial**
Camila B. Araujo, DDS, Adriana B. Ribeiro, DDS, MSc, PhD, Caroline V. Fortes, DDS, Frank L. Bueno, DDS, MSc, Bart De Wever, PhD, Viviane C. Oliveira, BSc, MSc, Ana P. Macedo, BSEE, MSc, PhD, Helena F. O. Paranhos, DDS, MSc, PhD, and Claudia Helena Lovato da Silva, DDS, MSc, PhD
- 674 Functional and psychological evaluation of premenopausal and postmenopausal women after provision of a complete denture prosthesis**
Ronak Bhatt, MDS, Sunit Kumar Jurel, MDS, Pooran Chand, MDS, Neeti Solanki, BDS, Kaushal Kishor Agrawal, MDS, Shyam Pyari Jaiswar, MD, and Amit Arya, MD
- Research CAD-CAM**
- 680 Influence of different inlay configurations and distance from the adjacent tooth on the accuracy of an intraoral scan**
Sung-Ae Son, DDS, MSD, PhD, Jae-Hoon Kim, DDS, MSD, PhD, Deog-Gyu Seo, DDS, MSD, PhD, and Jeong-Kil Park, DDS, MSD, PhD
- 688 Correlation between 2D and 3D measurements of cement space in CAD-CAM crowns**
Fernanda Furtado Piras, DDS, MSc, PhD, Fernanda Ferruzzi, DDS, MSc, PhD, Brunna Mota Ferrairo, DDS, MSc, Victor Mosquim, DDS, MSc, Ilana Santos Ramalho, DDS, MSc, PhD, Estevam Augusto Bonfante, DDS, MSc, PhD, and José Henrique Rubo, DDS, MSc, PhD
- 695 Trueness and precision of artificial teeth in CAD-CAM milled complete dentures with custom disks**
Yumika Soeda, DDS, Manabu Kanazawa, DDS, PhD, Tamaki Hada, RDT, Toshio Arakida, DDS, PhD, Maiko Iwaki, DDS, PhD, and Shunsuke Minakuchi, DDS, PhD
- Research - Fixed Prosthodontics**
- 702 Cone beam computed tomography analysis of residual dentin thickness after virtual post placement in the palatal roots of maxillary first molars**
An Yan Tan, BDS (Hons), Lawrence Poon, BDS (Hons), Ee Lin Michelle Ng, BDS (Hons), Paul Monsour, BDS (Hons), MDSc, PhD, Bilal Mohammed El Masoud, BDS, DCD, FRACDS(Pros), Alex Moule, BDS, PhD, and George Bogen, BS, DDS
- 709 An in vitro comparison of the marginal and internal adaptation of ultrathin occlusal veneers made of 3D-printed zirconia, milled zirconia, and heat-pressed lithium disilicate**
Alexis Ioannidis, Dr med dent, Ji-Man Park, DDS, MSD, PhD, Jürg Hüsler, Prof em Dr, Daniel Bomze, PhD, Sven Mühlemann, PD, Dr med dent, and Mutlu Özcan, Prof Dr Dr hc

Research - Implant Prosthodontics

- 716 Effects of implant diameter, implant-abutment connection type, and bone density on the biomechanical stability of implant components and bone: A finite element analysis study**
Hyeonjong Lee, DMD, PhD, Minhye Jo, BS, Irena Sailer, DMD, PhD, and Gunwoo Noh, PhD
- 729 Accuracy of implant impression techniques with a scannable healing abutment**
Hong-Taek Jung, DDS, Ha-Young Kim, DDS, MSc, So-Yeon Song, PhD, Jin-Hong Park, DDS, MSc, PhD, and Jeong-Yol Lee, DDS, MSc, PhD
- 735 Three-dimensional positional accuracy of intraoral and laboratory implant scan bodies**
Janice Zhi Hui Tan, BDS, MDS, Ming Yi Tan, BDS, MDS, Yoong Liang See Toh, BDS, MDS, Kuan Yee Wong, BDS, MDS, and Keson Beng Choon Tan, BDS, MSD
- 745 Comparison of the accuracy of impressions made of 2 implants with interfering axial convergence with CAD-CAM impression copings and the altered cast technique: An in vitro study**
Maryam Sadegholvad, DDS, Elham Ansarifard, DDS, MSc, Reza Derafshi, DDS, MSc, and Seyede Mina Salehi Dehno, DDS
- 746 Effect of guide sleeve material, region, diameter, and number of times drills were used on the material loss from sleeves and drills used for surgical guides: An in vitro study**
Oğuz Ozan, DDS, PhD, Emre Şeker, DDS, PhD, Gülce Çakmak, DDS, PhD, Xiaohan Guo, BS, and Burak Yilmaz, DDS, PhD
- 754 Dental mini-implant designs to support overdentures: Development, biomechanical evaluation, and 3D digital image correlation**
Mariana L. C. Valente, PhD, Claudemiro Bolfarini, PhD, Diego P. de Oliveira, PhD, and Andréa C. dos Reis, PhD
- 764 Evaluation of microleakage and push-out bond strength of various composite resins for sealing the screw-access channel in implant-supported restorations**
Ji Suk Shim, DDS, PhD, Chong-Yang Li, DDS, Jong-Eun Won, PhD, and Jae Jun Ryu, DDS, PhD

Research - Removable Prosthodontics

- 765 Influence of different materials on retention behavior of CAD-CAM fabricated bar attachments**
Aly Abdelrehim, BDS, Msc, Ahmed Abdelhakim, BDS, Msc, PhD, and Sherif ElDakkak, BDS, Msc, PhD

Research - Esthetics

- 776 Effect of ambient lighting conditions on tooth color quantification in cross-polarized dental photography: A clinical study**
Raifat I. Farah, BDS, MSc, Abdulrahman S. Almershed, BDS, Bariah F. Albahli, BDS, and Sanaa N. Al-Haj Ali, BDS, MSc
- 784 A comparison of ceramic crown color difference between different shade selection methods: Visual, digital camera, and smartphone**
Gilbert J. Jorquera, MSc, Pablo J. Atria, MSc, Mariana Galán, DDS, Josefina Feureisen, DDS, Makarena Imbarak, DDS, Jeremy Kernitsky, DDS, Franco Cacciuttolo, DDS, Ronaldo Hirata, PhD, and Camila S. Sampaio, PhD
- 793 Effect of yellow anodization of titanium on the shade of lithium disilicate ceramic with different thicknesses**
Khaled Mohamed Farrag, BDS, MS, Samir Ibrahim Bakry, BDS, MS, PhD, and Yasser M. Aly, BDS, MS, PhD

Research - Ceramics

- 794 Stepwise stress testing of different CAD-CAM lithium disilicate veneer application methods applied to lithium disilicate substructures**
Jaren T. May, DDS, MSD, Anelyse Arata, DDS, MS, PhD, Norman B. Cook, DDS, MS, Kim E. Diefenderfer, DMD, MS, Nelson B. Lima, MS, PhD, Alexandre L. S. Borges, DDS, MS, PhD, and Sabrina Feitosa, DDS, MS, PhD
- 803 Friction and wear behavior of chairside CAD-CAM materials against different types of antagonists: An in vitro study**
Beyza Zaim, DDS, Tugba Serin Kalay, DDS, PhD, and Gencaga Purcek, PhD
- 814 Wear of various restorative materials against 5Y-ZP zirconia**
Wissanee Jia-mahasap, DDS, MS, FACP, Kuljirarnat Jitwirachot, DDS, MSc, Julie A. Holloway, DDS, MS, FACP, Wetchayan Rangsrri, BEng, MEng, PhD, and Pimduen Rungsiyakull, DDS, MSc, PhD, FRCDs

Research - Resins

- 815 Shear bond strength of an acrylic resin to a ceria-stabilized zirconia-alumina nanocomposite**
Shinpei Tanaka, DDS, PhD,
Mari Kobayashi-Hisamatsu, DDS, PhD,
Takashi Miyazaki, DDS, PhD, and Kazuyoshi Baba, DDS, PhD

- 822 Effect of hydrothermal aging on the microhardness of high- and low-viscosity conventional and additively manufactured polymers**
Nadin Al-Haj Husain, Dr med dent,
Albert J. Feilzer, DDS, PhD, Cornelis J. Kleverlaan, PhD,
Samir Abou-Ayash, Dr med dent, and
Mutlu Özcan, DDS, Dr med dent, PhD

Maxillofacial Prosthetics

- 823 Custom nasal stent and columellar reconstruction after a rhinoplasty complication: A clinical report**
Simindokht Zarrati, DDS, MSc, Shahin Fathesami, MD, and
Ali Manafi, MD

- 827 Screw-loaded compression device for auricular keloid**
Femil Jilta Carlose, MDS, Harsha Kumar Karunakaran, MDS,
Ravichandran Rajagopal, MDS, and
Senbagavalli Sagadevan, MDS

- 830 A virtual analysis of the precision and accuracy of 3-dimensional ear casts generated from smartphone camera images**
Taseef Hasan Farook, MScDent, Farah Rashid, BDS,
Nafj Bin Jamayet, MScDent, Johari Yap Abdullah, PhD,
James Dudley, DCLinDent, and
Mohammad Khursheed Alam, PhD

Tips from Our Readers

- 837 A straightforward technique for removing titanium bases from screw-retained monolithic implant-supported prostheses**
Guilherme C. Silva, DDS, MS, PhD

Letters to the Editor

- 839 Concerns regarding the published article “Biocompatibility of self-adhesive resin cement with fibroblast cells” by Bandararra et al**
Daniel Vitor de Souza, BMDm, PhD,
Marcia Regina Nagaoka, PhD,
Wilton Mitsunari Takeshita, DDS, PhD, and
Daniel Araki Ribeiro, DDS, PhD

- 840 Response to the Letter to the Editor regarding “Biocompatibility of self-adhesive resin cement with fibroblast cells”**
Paulo Mascarenhas, MSc, Susana Bandararra, MSc, PhD,
Joana Neves, DMD, Ana Paraíso, DMD,
Ana C. Ribeiro, MSc, PhD, and Isabel Barahona, PhD

About JPD

- A7 The Essentials**
A9 News and Notes

Noteworthy Abstracts of the Current Literature

- 617 Effect of 10-methacryloyloxydecyl dihydrogen phosphate concentrations in primers on bonding resin cements to zirconia**

Dr Kevin Payne, Cover Artist

Dr Kevin Payne received his DDS from Marquette University in 1995 and immediately entered the Graduate Prosthodontics Program at the University of Michigan where he obtained his certificate in Prosthodontics in 1998. He practices with his wife in Bay City, Michigan. In his free time, he enjoys being a dad to his three children as well as hiking, trekking, and mountain climbing.



Statements and opinions in the articles and communications herein are those of the author(s) and not necessarily those of the Editor(s), publisher, or The Editorial Council. The Editor(s), publisher, and The Editorial Council disclaim any responsibility or liability for such material and do not guarantee, warrant, or endorse any product or service advertised in this publication, nor do they guarantee any claim made by the manufacturer of such product or service.